

WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
ANSCHUTZ														
MARK 12		16	16											
54, 54MS, 64, 64MS, 164, 1400 SERIES, 1500 SERIES		91	91						S91	S91				48964
153 DELUXE		19	19											
1568		61	46			402		1						
MATTE		61M	46M			402M	49717		S61	S46		S402		
SILVER		61S	46S			402S	49729							
AUTO SHOTGUNS														
ALL AUTOS EXCEPT REM 11-48, 11-87, 1100, SPTSMN 48	4							7						
BENELLI														
NOVA SHOTGUN (MATTE)				423M										
SUPER BLACK EAGLE, SUPER BLACK EAGLE II, M1 & M2 FIELD GUNS				93AM										
BERETTA														
MATO RIFLE		49A	46						S49A	S46				
PINTAIL SLUG GUN		35	35		40A	40A								
MATTE		35M	35M		40A-M	40A-M			S35	S35	S40A	S40A		
SILVER		35S	35S		40A-S	40A-S								
BRITISH 303														
WITH ENFIELD ACTION	4, 15			TO-1										
BROWNING														
1885 HIGH WALL (OCTAGON BARREL)	1, 3	11	29											
22 AUTO	18			60A										
SAKO ACTIONS IN 243, 308, 22-250, 222 & 222 MAG.		72	71											
A-BOLT, A-BOLT 22 STALKER; MEDALLION		47	47				49719						48922 L/A	48904
BLACK													48924 S/A	48904
MATTE		47M	47M						S47	S47			48923 L/A	48905
MATTE													48925 S/A	48905
SILVER		47S	47S											
A-BOLT SHOTGUN														
MATTE		47M	419M											
A-BOLT (EUROPEAN MODEL), MOD 52, 52C	5	85	85											
BOLT ACTION BBR, HI-POWER, OTHER CAL. (OLDER MOD.)		45	46			402	49721	5	S45	S46		S402		
SILVER		45S	46S			402S								
BAR, BAR II, MARK II, BLR LIGHTNING (LEVER), BPR	5	54	54				49720						48932	
MATTE									S54	S54			48933	
BLR (LEVER ACTION)		25	25						S25	S25				
BLR WITH FLAT TOP RECEIVER (OLDER MODELS)		28	28											
BBR (BOLT ACTION), LONG & SHORT ACTIONS		47	46			402	49718							
MATTE		47M	46M			402M			S47	S46		S402		
SILVER		47S	46S			402S								
A-BOLT WSSM		427	47											48911
BSA														
MONARCH MEDIUM ACTION IN 222, 243 & 308	25	36	35	97		40A								
MATTE		36M	35M			40A-M	49712		S36	S35		S40A		
SILVER		36S	35S			40A-S								
CF2, MONARCH LONG ACTION IN 7MM, 270 & 30-06	25	36	35	98		40A								
MATTE		36M	35M			40A-M	49712		S36	S35		S40A		
SILVER		36S	35S			40A-S								
OTHER HIGH-POWERS		28	28											
CARCANO														
CARCANO	4, 6							1						
CARL GUSTAF														
MOD 2000									S460	S460				
CHURCHILL														
HIGHLANDER		36	35			40A								
MATTE		36M	35M			40A-M	49712		S36	S36		S40A		
SILVER		36S	35S			40A-S								
CIL														
830								1						

WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD			EXTENSION				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
MARLIN (CONTINUED)														
88, 89 & 98		18	18				2							
80, 81 & 980		12	12				2							
455		45	46			402	49721	5	S45	S46		S402		
SILVER		45S	46S			402S								
512 SLUG MASTER & 55 (DRILL & TAP) (MATTE)								10M						
60, 990L, 70, 995, 882, 25MN, 883	12													
MR7		47	46			402								
MATTE		47M	46M			402M	49718		S47	S46		S402		
SILVER		47S	46S			402S								
MLS-50 & MLS-54, (BASES SOLD 2/PACK)		406	406				49736							
SILVER		406S	406S											
1894				63B									48958	
900 SERIES IN .17 & .22 CALIBERS	12													
MAUSER														
RECEIVER RING ABOUT 1.410" DIAMETER (98FN)	1, 2	45	46			402	49721	5	S45	S46		S402	48954	48952
SILVER		45S	46S			402S								
RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)	1, 2	55	46			402		1	S55	S46		S402	48950	
BAUER 3000 & 4000		68	46			402								
MARK X	1	55	20A											
98													48916	48910
MOSSBERG														
25, 26, 42, 46M, 140, 142 & 146, 45-46 W/ 3/4" DIA. BBLs		12	13					2						
40		16	21					2						
43, 44, 144, 46BT & 35		12	16					2						
45, 46 EARLY MODELS WITH 13/16" DIA. BBLs		12	16					2						
320, 340, 342 & 620		21	21					2						
640				63B			49713							
680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)		55	55						S55	S55				
50, 51, 151, 152, 350 & 352		12	12					2						
400		20A	42											
472, 479 & 679				80										
500AS (PRE 1997) & 600 SHOTGUNS				88										
500 (1997+), 590 & 835 SHOTGUNS (MATTE)	25			417M										
810 & RM7		25	11											
100 ATR, 1500, 1700		36	35			40A							48912	48900
MATTE		36M	35M			40A-M	49712		S36	S35		S40A	48913	48901
SILVER		36S	35S			40A-S								
935 (MATTE)				430M										
MUSGRAVE														
MARK I & MARK II		54	46			402			S54	S46		S402		
MARK III & MARK IV		45	46			402	49721		S45	S46		S402		
SILVER		45S	46S											
NAVY ARMS														
COUNTRY BOY MUZZLELOADER		46	46	53	402	402								
MATTE		46M	46M		402M	402M	49725		S46	S46	S402	S402		
SILVER		46S	46S		402S	402S								
NEW ENGLAND FIREARMS (H & R)														
HANDY RIFLE, HORNET (USE EXTRA HIGH RINGS)				82										
N.E.F. 10 GAUGE SHOTGUN		19	19											
HUNTSMAN MUZZLELOADER	8			82										
NEW HAVEN														
495B (MATTE)								10M						
NORINCO														
22 AUTO (REPLICA OF BROWNING 22 AUTO)	18			60A										
JW-15	12													
OCTAGON BARREL OR FLAT TOP RECEIVERS														
CAN BE FITTED WITH THE FOLLOWING BASES:		61	61	50										
PARKER-HALE														
1000, 1000C, 1100, 1200 & 1700		45	46			402	49721		S45	S46		S402		

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
			STANDARD		EXTENSION				STANDARD		EXTENSION		1-PC	2-PC
			REAR	FRONT	1-PC	REAR			FRONT	REAR	FRONT	REAR		
RUGER (CONTINUED)														
	10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML					49723								
	SILVER					49735								
	96/22 & 96/22 MAGNUM	16			T0-11									
	44 CARBINE MAGNUM DEERSTALKER		47	68										
	M77 (ROUND TOP DRILLED)		79	35			40A						48912	48900
	MATTE												48913	48901
	M77, (W/BUILT-IN INTEGRAL MOUNTS)					49724								
	SILVER					49732								
	MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT)					49723								
	SILVER					49735								
	MINI 14-NO INTEGRAL MNTS (302)	8			48644									
	SILVER (302S)	8			48646									
	SINGLE SIX & SUPER SINGLE SIX (314)	8			48643									
	SECURITY SIX (305)	8			48640									
	BLACKHAWK & SUPER BLACKHAWK (301)	8			48638									
	SILVER (301S)	8			48635									
	REDHAWK (308S) SILVER	8			48648									
	MARK II PISTOL, STANDARD MODELS (306)	8, 13			48641									
	SILVER (306S)	8, 13			48637									
SAKO														
	L579		72	71										
	72, 75 & 78		85	85										
	FINNWOLF			53		49725								
	FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)		67	65										48962
	WHITETAIL HUNTER		61	61										
	MATTE		61M	61M		49727		S61	S61					
	SILVER		61S	61S										
SAUER														
	200		35	35			40A							
	MATTE		35M	35M	40A-M	40A-M		S35	S35	S40A	S40A			
	SILVER		35S	35S	40A-S	40A-S								
	202							S459	S460					
	SHR 970		25	25		49720		S25	S25					
SAVAGE														
	3		16	21				2						
	4 & 5		12	13				2						
	6 & 7		12	12				2						
	29 (ROUND BARREL)		11	22										
	19 & 23		15	16				2						
	20, 340, 340E, 342, 840 & 842E	14						1						
	24	17			74									
	24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)	12												
	25 (OCTAGON BARREL)		19	31										
	40 & 45		11	11				2						
	67 SHOTGUN				93	49714								
	93F HEAVY BARREL		16	16										
	99, 1895 & 1899		14	19									48956	
	170				62	49715								
	219		12	30				2						
	10, 12 & 16 (SHORT ACTIONS), STRIKER, PSTL, 510, 512, 516 S/ A, 10 ML (2-PIECE ONLY) PRE 2003 MODELS	22	61	46			402						48920	48902
	MATTE	22	61M	46M		402M		S61	S46		S402		48903	
	SILVER	22	61S	46S		402S							48972	
	110, 112, 116 (LONG ACTIONS); 210 SHTG (USE X-HIGH RINGS) PRE 2003 MODELS	22	61	46	413		402	1					48918	48902
	MATTE	22	61M	46M		402M	49717	S61	S46		S402		48903	
	SILVER	22	61S	46S		402S							48972	
	2400		67	65										
	10, 12, 110, 112 SERIES, W/ ACCUTRIGGER,, STEVENS 200, 10 ML II	22, 25	46	46			402							
	MATTE	22	46M	46M		402M	402M	S46	S46	S402	S402		48906	
	SILVER	22	46S	46S		402S	402S							

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES			
			STANDARD		EXTENSION				COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
			REAR	FRONT	1-PC	REAR					FRONT	REAR	FRONT	REAR		
THOMPSON CENTER (CONTINUED)																
	CONTENDER HANDGUN & CONTENDER CARBINE RIFLE			92A												
	SILVER			92AS												
	SCOUT RIFLE & SCOUT PISTOL			404												
	TCR			405												
	THUNDERHAWK & FIREHAWK (2EA. PER PKG.)		406	406			49736									
	SILVER		406S	406S												
	TRADITIONAL STYLE MUZZLELOADERS, NEW ENGLANDER	19			408											
	ENCORE, OMEGA				410							48926				
	SILVER				410S											
	SYSTEM 1 & BLACK DIAMOND (2EA. PER PKG)		411	411												
	SILVER		411S	411S												
TIKKA																
	TIKKA W/FLAT RECEIVER		61	61												
	MATTE		61M	61M			49727		S61	S61						
	SILVER		61S	61S												
	SAKO DESIGN W/TAPERED DOVETAIL		67	65												
TRADITIONS																
	WHITETAIL W/OCTAGON RECEIVERS	17	61A	61A												
	IN-LINE MUZZLELOADERS W/ROUND RECEIVERS - MATTE		418M	418M												
	SILVER		418S	418S												
U. S. CARBINE																
	M1 CARBINE 30 CAL.	20							M							
VALMET																
	TAPERED DOVETAIL, SAKO DESIGN		67	65												
VOERE																
	2130	4	28	28												
	2150, 2165/1, 2165/2, 2165/3 & 2165/4 (MAUSER ACTION)		45	46		402	49721		S45	S46	S402					
	SILVER		45S	46S												
WEATHERBY																
	VANGUARD	1, 22	36	35		40A							48912	48900		
	MATTE	1, 22	36M	35M		40A-M			S36	S35	S40A	48913	48901			
	SILVER	1, 22	36S	35S		40A-S										
	MARK V STD. CAL INCL. 240MAG. CENTERFIRE PISTOL, 224 VARMINTMASTER, ULTRA LIGHTWEIGHT		36	415												
	MATTE		36M	415M												
	SILVER		36S	415S												
	FN MAUSER STYLE ACTIONS		45	46		402	49721	5	S45	S46	S402					
	SILVER		45S	46S		402S										
	MARK V MAG. CAL EXCEPT 240 MAG.		424	35										48976		
	MATTE		424M	35M		40A-M										
WESTERN FIELD																
	712	6						1								
	730		25	11												
	740				63B		49713									
	SILVER				63BS											
	750		67	65												
	770		55	20A												
	772				80											
	775 & 780		55	55					S55	S55						
WINCHESTER (INCLUDES RANGER MODELS)																
	03 & 63		19	22				2								
	06, 62, 62A & 90 W/OCTAGON BARREL		32	32												
	05, 07 & 10		20A	17												
	42							2								
	43		18	18												
	52 (HOLE SPACING DIFFERENT)	6, 9	25	57				2								
	52 (HOLE SPACING SAME)	6, 9	46	46		402		2								
	MATTE	6, 9	46M	46M		402M	402M		S46	S46	S402	S402				
	SILVER	6, 9	46S	46S		402S	402S									

WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES						STEEL LOCK MOUNTS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
		STANDARD			EXTENSION					COMPLETE SYSTEM	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT	REAR				FRONT	REAR	FRONT			
WINCHESTER (CONTINUED)																
LEVER ACTIONS 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4								3A							
54, & EARLY MOD. 70 W/SERIAL NO. BELOW #66 350	6	48	46				402		1							
57 & 69		12	13						2							
60, 67 & 68	6	21	21													
61 W/ROUND BARREL		19	13						2							
61 W/OCTAGON BARREL		25	32						2							
69A, 72 & 47		12	17						2							
70 LONG ACTION (HOLE SPACING SAME), 670, 770	9	47	46	96			402		1					48938	48908	
MATTE		47M	46M				402M	49718		S47	S46		S402		48909	
SILVER		47S	46S				402S									
70 LONG ACTION (HOLE SPACING DIFFERENT) & 70 SUPER EXPRESS	9	49A	46				402			S49A	S46		S402			
70 SHORT ACTION (1984+)		47	46	99			402		1					48940	48908	
MATTE		47M	46M				402M	49718		S47	S46		S402		48909	
SILVER		47S	46S				402S									
70 WSSM		428	46												48907	
70 W/SERIAL NO BELOW 66 350 (PRE '64)														48936		
70 LONG ACTION, REAR HOLE SPC .435"															48934	
74		12	12						2							
75 SPORTER		15	30						2							
75 TARGET		15	16						2							
77		15	32						2							
88 & 100				53				49725						48942		
94 PRE '64									3D							
94 POST '64 & 94 TRAPPER									3B							
94 BIG BORE 375									3C							
94 ANGLE-EJECT BIG BORE		95	403													
94 ANGLE-EJECT (EXCEPT EARLIEST MODELS)		95	94					49716						48944		
94/22	16			TO-10												
520		85	85													
777		71	71													
1200 & 1500 SHOTGUNS (SEE CONVERTA MOUNT SYSTEMS)																
1300 & 1400 SHOTGUNS (ALSO SEE CONVERTA MOUNT SYS) MATTE	25					416M										
50 SHOTGUN									8							
X-150, APEX MUZZLELOADERS (MATTE)		418M	418M													
SILVER		418S	418S													

NOTES

- Shimming is probably required for perfect scope alignment.
- Rear base may require modifications for correct fit to military actions.
- Front base may require modification for correct fit.
- Gun will have to be drilled and tapped.
- Front base screws must be shortened by grinding.
- May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
- BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
- Remove rear sight to use.
- The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:
 - HOLE SPACING THE SAME HOLE SPACING IS DIFFERENT
 - Model 52 Use 46+ 46 Model 52 Use 25+ 57
 - Model 70 Use 47+ 46 Model 70 Use 49A+ 46
- The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
- The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
- Rifle has Grooved Receiver for Tip-Off Rings.
- Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
- Bolt Clearance problem may exist and scope will not be centered.
- Base accepts Tip-Off Rings only.
- TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
- Must be factory drilled and tapped.
- One-Piece base attaches to barrel and extends back over receiver.
- Requires the use of Thompson/Center base adapter.
- Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
- Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
- For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
- WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
- Top mount base is designed to fit 12GA models only.
- Can be used with Tactical Multi Slot bases.